

## ECLIPSE 43 SPECIFICATION

### General:

Eclipse 43 jointly developed by Moody Marketing and Development Ltd and Marine Projects (Plymouth) Ltd, Britains leading boatbuilders.

Hull and superstructure constructed in glass reinforced plastic, with high gloss white gelcoat finish. Deck areas are surfaced with integrally moulded in non slip finish. Style stripes are fitted and each yacht is antifouled, waterlines and boot top are painted.

### Deck Equipment:

Stainless steel drop nose Scandinavian type pulpit, pushpit complete with gate access. Stanchions and sockets with twin stainless steel guard wires and guard wire boarding gates. Stainless steel stemhead fitting with twin

bow rollers, one with self launching facility for anchor. Electric anchor windlass with reversing facility and remote control, 4 mooring cleats and 2 spring cleats, 2 x 2 speed self tailing genoa sheet winches, genoa sheet tracks cars and turning blocks, 2 speed self tailing mainsheet winch and adjustable main sheet traveller. Control lines led aft to cockpit for furling mainsail and furling headsail complete with 2 self tailing winches. coahcroof is fitted with handrails, various deck hatches, water and fuel fillers and breathers. Wheel steering pedestal with stainless steel wheel, binnacle guard and compass cockpit table. Pedestal mounted engine controls, pedestal mounted bow thruster control. Engine instrumentation and echo sounder and log cockpit mounted. Moulded in bathing platform with stainless steel transom swimming ladder. cockpit sole and seats are inlaid with teak.

### Spars and Rigging

1xL30 Silver anodised aluminium mast and boom with stainless steel standing rigging. Kemp 'Furlin' in mast mainsail furling system. Kemp 'Furlex' headsail furling system. Halliard winch mounted on mast for mainsail and genoa halliards, with double rope clutches. Rod kicking strap.

### Sails

Furling genoa complete with UV resistant leech strip.  
Furling mainsail.

### Engine

Perkins M80T 4 cylinder turbocharged 78hp diesel engine with reduction gearbox. Stainless steel propeller shaft, bronze 3 bladed propeller and bronze 'P' bracket. Dual station engine instrument panels mounted at interior and exterior helm stations. The engine space is sound insulated and fitted with an automatic fire extinguisher.

Continued/.....

Eclipse 43 Specification Continued/.....

Electrical

A 12 volt 70amp marine alternator charges 3 heavy duty 12 volt batteries with 3 position distribution switch and battery state indicator. Master distribution panel incorporating circuit breaker switches. Navigation lights supplied are port and starboard bow lights, stern light, steaming and deck flood lights. Electric lighting is fitted to all accommodation areas. 240 volt shore support, ring main system, with inlet socket in cockpit, distribution/breaker panel and 5 outlets, also wired to microwave in galley area. Cathodic protection is given from a hull mounted sacrificial anode.

WHITE PANASONIC. H421080

Instrumentation

Twin compasses, one sited at each helm station, dual station echo sounder and log, dual station engine controls and instrumentation, fuel and water tank gauges, battery state indicator.

Accommodation

Owners Cabin:

A comfortable and roomy cabin with centreline fore and aft double berth. Beneath the berth are large stowage drawers. Hanging locker, vanity desk and locker stowage space is provided. Light and ventilation are provided by the opening deck hatch 2 topsides opening portlights. The cabin is with carpeted floor areas. En-suite access to separate toilet and shower compartment.

Owners toilet and shower compartment:

Sited to starboard, the compartment is fully fitted out in wipe clean laminate surfaces. Washbasin and marine toilet are provided and a separate shower in a cubicle area, shower waste water is electrically pumped overboard. Hot and cold pressurised water is provided together with towel rail, tooth mug and brush holder and toilet roll holder. Stowage space is provided in lockers. Light and ventilation are provided by an opening deck hatch.

Port guest cabin:

Twin single berths arranged fore and aft with stowage space beneath. Hanging locker, vanity desk and shelved storage space are provided. Light and ventilation are provided by an opening deck hatch and 2 topsides opening portlights. The cabin is fitted in teak with carpeted floor areas. En-suite access to toilet compartment.

Toilet compartment:

Sited to port with access for'd of galley area and en-suite access to port guest cabin. The compartment is finished in wipe clean laminate surfaces. Washbasin with hot and cold pressurised water, marine toilet and shower with electric pump out for waste shower water. Stowage space is provided in lockers. Towel rail, tooth mug and brush holder. Light and ventilation are provided by an opening deck hatch.

Eclipse 43 Specification Continued/.....

Galley

Sited to starboard, for'd of the deck saloon area, galley is U-shaped and fully fitted out with twin stainless steel sinks (one with chopping board cover). Hot and cold pressurised water with mixer tap, a large refrigerated ice box, gimballed 2 burner stove with oven and grill complete with stainless steel crash bar and slide away top cover. 240volt microwave wired to shore support system. Work surfaces are finished in an attractive wipe clean laminate surface. Generous stowage space is provided below work surfaces in lockers and drawers. The galley is fitted out in teak with teak and holly cabin sole. Light and ventilation are provided by an opening deck hatch and a topsides opening portlight.

Deck Saloon

Windows and windscreens provide light to all sides of this area, all windows are tinted except for for'd facing windscreens (for improved night vision). Ventilation is provided by 2 opening deck hatches. A large U-shaped settee area is to port which is raised to provide visibility from all windows when seated. A large folding leaf dining table is fitted. Generous locker and storage space is provided behind and below the settee. To starboard is the interior helm station complete with bench seat for 2 people. The helm station is fully fitted with stainless steel steering wheel, engine and gear controls, engine instrumentation, echo sounder, speed/log and compass. Built into the steering console is a generous sized chart table area with stowage compartment. VHF radio is mounted on the deck head above the helm station. Aft of the helm seat is a sideboard unit incorporating a cocktail cabinet, built in front opening refrigerator and locker storage. Space can be provided in this area to fit Hi Fi systems and televisions. The deck saloon is fitted out in teak with teak and holly flooring and a choice of soft furnishings (cushions and curtains).

Aft Cabin

Sited to starboard the cabin has twin fore and aft single berths and is fitted with ample locker and stowage space including hanging locker. A hand washbasin is fitted complete with pressurised hot and cold water supply. Light and ventilation are provided by opening ports and ventilators. The cabin is fitted in teak with carpeted floor surfaces.

General Equipment

Plough anchor with 15 fathoms calibrated chain, reversing electric anchor windlass, bow thruster, 2 compasses, dual station echo sounder and speedo/log, VHF radio, stereo radio cassette player, 2 windscreen wipers, automatic bilge pump, manual bilge pump, cuddy type companionway spray canopy, 3 dry powder fire extinguishers, automatic fire extinguisher, warps, fenders, gas bottle, 2 winch handles.